



# Common Event Format

ArcSight, Inc.

July 22, 2010

Revision 16

## Common Event Format

July 17, 2009

Copyright © 2006 – 2009 ArcSight, Inc. All rights reserved. ArcSight, the ArcSight logo, ArcSight TRM, ArcSight NCM, ArcSight Enterprise Security Alliance, ArcSight Enterprise Security Alliance logo, ArcSight Interactive Discovery, ArcSight Pattern Discovery, ArcSight Logger, FlexConnector, SmartConnector, SmartStorage and CounterACT are trademarks of ArcSight, Inc. All other brands, products and company names used herein may be trademarks of their respective owners.

Follow this link to see a complete statement of ArcSight's copyrights, trademarks and acknowledgements:

<http://www.arcsight.com/copyrightnotice>.

Any network information used in the examples in this document (including IP addresses and hostnames) are for illustration purposes only.

This document is ArcSight Confidential.

## Revision History

---

<b>Date</b>	<b>Description</b>
07/22/10	Made additional corrections to Extension Dictionary table.
07/17/09	Made corrections to Extension Dictionary table.
05/18/2009	Combined CEF, extension dictionary, custom dictionary extensions and data format information into this single document.
11/12/2007	Corrected errors in examples for backslash and equal sign.
06/07/2006	First external draft.

---

# Contents

<b>An Event Interoperability Standard .....</b>	<b>1</b>
<b>Common Event Format (CEF).....</b>	<b>1</b>
Definitions of Prefix Fields .....	2
Character Encoding .....	3
<b>The Extension Dictionary .....</b>	<b>4</b>
<b>Special Mappings.....</b>	<b>12</b>
Firewall .....	12
AntiVirus .....	12
Email .....	12
Wireless .....	12
<b>Custom Dictionary Extensions .....</b>	<b>13</b>
Custom Extension Naming Guidelines .....	13
Limitations of Custom Extensions .....	13
Limitations Affecting ArcSight ESM .....	13
Limitations Affecting ArcSight Logger .....	14
<b>Appendix: Data Formats .....</b>	<b>14</b>
Date Formats.....	14



## An Event Interoperability Standard

In the realm of security event management, a myriad of event formats streaming from disparate devices makes for a complex integration. The following pages detail the ArcSight standard for promoting interoperability between various event- or log-generating devices.

Although each vendor has its own format for reporting event information, these event formats often lack the key information necessary to integrate the events from their devices.

The ArcSight standard attempts to improve the interoperability of infrastructure devices by aligning the logging output from various technology vendors.

## Common Event Format (CEF)

The format called Common Event Format (CEF) can be readily adopted by vendors of both security and non-security devices. This format contains the most relevant event information, making it easy for event consumers to parse and use them.

To simplify integration, the syslog message format is used as a transport mechanism. This applies a common prefix to each message, containing the date and hostname, as shown below.

```
Jan 18 11:07:53 host message
```

If an event producer is unable to write syslog messages, it is still possible to write the events to a file. To do so:

1. Omit the syslog header (shown above)
2. Begin the message with the format shown below

```
CEF:Version|Device Vendor|Device Product|Device Version|Signature  
ID|Name|Severity|Extension
```

After the mandatory **CEF:** prefix, the remainder of the message is formatted using a common prefix composed of fields delimited by a bar ("|") character. All of the fields specified above should be present and are defined under "Definitions of Prefix Fields" on page 2.

The *Extension* part of the message is a placeholder for additional fields. These additional fields are documented under "The Extension Dictionary" on page 4, and are logged as key-value pairs.

## Definitions of Prefix Fields

**Version** is an integer and identifies the version of the CEF format. Event consumers use this information to determine what the following fields represent.

**Device Vendor**, **Device Product** and **Device Version** are strings that uniquely identify the type of sending device. No two products may use the same device-vendor and device-product pair. There is no central authority managing these pairs. Event producers have to ensure that they assign unique name pairs.

**Signature ID** is a unique identifier per event-type. This can be a string or an integer. Signature ID identifies the type of event reported. In the intrusion detection system (IDS) world, each signature or rule that detects certain activity has a unique signature ID assigned. This is a requirement for other types of devices as well, and helps correlation engines deal with the events.

**Name** is a string representing a human-readable and understandable description of the event. The event name should not contain information that is specifically mentioned in other fields. For example: "Port scan from 10.0.0.1 targeting 20.1.1.1" is not a good event name. It should be: "Port scan". The other information is redundant and can be picked up from the other fields.

**Severity** is an integer and reflects the importance of the event. Only numbers from 0 to 10 are allowed, where 10 indicates the most important event.

**Extension** is a collection of key-value pairs. The keys are part of a predefined set. The standard allows for including additional keys as outlined under "The Extension Dictionary" on page 4. An event can contain any number of key-value pairs in any order, separated by spaces (" "). If a field contains a space, such as a file name, this is valid and can be logged in exactly that manner, as shown below:

```
fileName=c:\Program<space>Files\ArcSight is a valid token.
```

The following example illustrates a CEF message using Syslog transport:

```
Sep 19 08:26:10 host CEF:0|security|threatmanager|1.0|100|worm  
successfully stopped|10|src=10.0.0.1 dst=2.1.2.2 spt=1232
```

## Character Encoding

Because CEF uses the UTF-8 Unicode encoding method, please note the following

- The entire message has to be **UTF-8** encoded.
- If a **pipe** (|) is used in the prefix, it has to be escaped with a backslash (\). But note that pipes in the extension do not need escaping. For example:

```
Sep 19 08:26:10 host
CEF:0|security|threatmanager|1.0|100|detected a \| in
message|10|src=10.0.0.1 act=blocked a | dst=1.1.1.1
```

- If a **backslash** (\) is used in the prefix or the extension, it has to be escaped with another backslash (\). For example:

```
Sep 19 08:26:10 host
CEF:0|security|threatmanager|1.0|100|detected a \\ in
packet|10|src=10.0.0.1 act=blocked a \\ dst=1.1.1.1
```

- If an **equal sign** (=) is used in the extensions, it has to be escaped with a backslash (\). Equal signs in the prefix need no escaping. For example:

```
Sep 19 08:26:10 host
CEF:0|security|threatmanager|1.0|100|detected a = in
message|10|src=10.0.0.1 act=blocked a \= dst=1.1.1.1
```

- **Multi-line** fields can be sent by CEF by encoding the newline character as **\n** or **\r**. Note that multiple lines are only allowed in the value part of the extensions. For example:

```
Sep 19 08:26:10 host
CEF:0|security|threatmanager|1.0|100|Detected a threat. No
action needed.|10|src=10.0.0.1 msg=Detected a threat.\n No
action needed.
```

## The Extension Dictionary

The following tables contain predefined keys that establish usages for both event producers and consumers. They display **key names** as well as **full names** for each key. It is the **key name** that is required in events.

Key Name	Full Name	Data Type	Length	Meaning
act	deviceAction	String	63	Action mentioned in the event.
app	ApplicationProtocol	String	31	Application level protocol, example values are: HTTP, HTTPS, SSHv2, Telnet, POP, IMAP, IMAPS, etc.
cnt	baseEventCount	Integer		A count associated with this event. How many times was this same event observed?
dvc	deviceAddress	IPv4 Address	16	Identifies the device that an event refers to in an IP network. The format is an IPv4 address. <b>Example:</b> "192.168.10.1"
dvchost	deviceHostName	String	100	The format should be a fully qualified domain name associated with the device node, when a node is available. <b>Examples:</b> "host.domain.com" or "host".
dst	destinationAddress	IPv4 Address		Identifies destination that the event refers to in an IP network. The format is an IPv4 address. <b>Example:</b> "192.168.10.1"
dhost	destinationHostName	String	1023	Identifies the destination that an event refers to in an IP network. The format should be a fully qualified domain name associated with the destination node, when a node is available. <b>Examples:</b> "host.domain.com" or "host".
dmac	destinationMac Address	MAC Address		Six colon-separated hexadecimal numbers. <b>Example:</b> "00:0D:60:AF:1B:61"
dntdom	destinationNtDomain	String	255	The Windows domain name of the destination address.
dpt	destinationPort	Integer		The valid port numbers are between 0 and 65535.
dproc	destinationProcess Name	String	1023	The name of the process which is the event's destination. For example: "telnetd", or "sshd".

Key Name	Full Name	Data Type	Length	Meaning
duid	destination UserId	String	1023	Identifies the destination user by ID. For example, in UNIX, the root user is generally associated with user ID 0.
dpriv	destination UserPrivileges	String	1023	<p>The allowed values are: "Administrator", "User", and "Guest". This identifies the destination user's privileges. In UNIX, for example, activity executed on the root user would be identified with destinationUserPrivileges of "Administrator".</p> <p>This is an idealized and simplified view on privileges and can be extended in the future.</p>
duser	destination UserName	String	1023	Identifies the destination user by name. This is the user associated with the event's destination. E-mail addresses are also mapped into the UserName fields. The recipient is a candidate to put into destinationUserName.
end	endTime	Time Stamp		The time at which the activity related to the event ended. The format is MMM dd yyyy HH:mm:ss or milliseconds since epoch (Jan 1st 1970). An example would be reporting the end of a session.
fname	fileName	String	1023	Name of the file.
fsize	fileSize	Integer		Size of the file.
in	bytesIn	Integer		Number of bytes transferred inbound. Inbound relative to the source to destination relationship, meaning that data was flowing from source to destination.
msg	message	String	1023	An arbitrary message giving more details about the event. Multi-line entries can be produced by using \n as the new-line separator.
out	bytesOut	Integer		Number of bytes transferred outbound. Outbound relative to the source to destination relationship, meaning that data was flowing from destination to source.
proto	transport Protocol	String	31	Identifies the Layer-4 protocol used. The possible values are protocol names such as TCP or UDP.

Key Name	Full Name	Data Type	Length	Meaning
rt	receiptTime	Time Stamp		The time at which the event related to the activity was received. The format is MMM dd yyyy HH:mm:ss or milliseconds since epoch (Jan 1st 1970).
request	requestURL	String	1023	In the case of an HTTP request, this field contains the URL accessed. The URL should contain the protocol as well, e.g., "http://www.security.com"
src	SourceAddress	IPv4 Address		Identifies the source that an event refers to in an IP network. The format is an IPv4 address. <b>Example:</b> "192.168.10.1"
shost	sourceHostName	String	1023	Identifies the source that an event refers to in an IP network. The format should be a fully qualified domain name associated with the source node, when a node is available. <b>Examples:</b> "host.domain.com" or "host".
smac	sourceMacAddress	MAC Address		Six colon-separated hexadecimal numbers. <b>Example:</b> "00:0D:60:AF:1B:61"
sntdom	sourceNtDomain	String	255	The Windows domain name for the source address.
spt	sourcePort	Integer		The valid port numbers are 0 to 65535.
spriv	sourceUser Privileges	String	1023	The allowed values are: "Administrator", "User", and "Guest". It identifies the source user's privileges. In UNIX, for example, activity executed by the root user would be identified with sourceUserPrivileges of "Administrator".  This is an idealized and simplified view on privileges and can be extended in the future.
suid	sourceUserId	String	1023	Identifies the source user by ID. This is the user associated with the source of the event. For example, in UNIX, the root user is generally associated with user ID 0.
suser	sourceUserName	String	1023	Identifies the source user by name. E-mail addresses are also mapped into the UserName fields. The sender is a candidate to put into sourceUserName.

Key Name	Full Name	Data Type	Length	Meaning
start	startTime	Time Stamp		The time when the activity the event referred to started. The format is MMM dd yyyy HH:mm:ss or milliseconds since epoch (Jan 1st 1970).

Full and/or Key Names	Data Type	Length	Meaning	
cat	deviceEvent Category	String	1023	Represents the category assigned by the originating device. Devices oftentimes use their own categorization schema to classify events.
cs1Label cs2Label cs3Label cs4Labelcs5Label cs6Label	deviceCustom String1 Label ...	String	1023	All custom fields have a corresponding label field where the field itself can be described. Each of the fields is a string describing the purpose of this field.
cn1Label cn2Label cn3Label deviceCustomDate1 Label deviceCustomDate2 Label	deviceCustom Number1Label ... deviceCustom Date1 Label ...	String	1023	All custom fields have a corresponding label field where the field itself can be described. Each of the fields is a string describing the purpose of this field.
cs1 cs2 cs3 cs4 cs5 cs6	deviceCustomString1 ...	String	1023	There are six <i>strings</i> available which can be used to map fields which do not fit into any other field of this dictionary. If possible, these fields should not be used, but a more specific field from the dictionary. Also check the guidelines later in this document for hints about utilizing these fields.
cn1 cn2 cn3	deviceCustom Number1 ...	Long		There are three <i>number</i> fields available which can be used to map fields which do not fit into any other field of this dictionary. If possible, these fields should not be used, but a more specific field from the dictionary. Also check the guidelines hereafter for hints on how to utilize these fields.
deviceNtDomain		String	255	The Windows domain name of the device address.

Full and/or Key Names	Data Type	Length	Meaning	
deviceDnsDomain	String	255	The DNS domain part of the complete fully qualified domain name (FQDN).	
deviceTranslatedAddress	IPv4 Address		Identifies the translated device address that the event refers to in an IP network. The format is an IPv4 address. <b>Example:</b> "192.168.10.1"	
deviceMacAddress	MAC Address		Six colon-separated hexadecimal numbers. <b>Example:</b> "00:0D:60:AF:1B:61"	
deviceCustomDate1 deviceCustomDate2	Time Stamp		There are two timestamp fields available which can be used to map fields which do not fit into any other field of this dictionary. If possible, these fields should not be used, but a more specific field from the dictionary. Also check the guidelines later in this document for hints about utilizing these fields.	
destinationDnsDomain	String	255	The DNS domain part of the complete fully qualified domain name (FQDN).	
dntdom	destination NtDomain	String	255	The Windows domain name of the destination address.
dhost	Destination HostName	String	1023	Identifies the source that an event refers to in an IP network. The format should be a fully qualified domain name associated with the destination node, when a node is available. <b>Examples:</b> "host.domain.com" or "host".
dpt	destination Port	Integer		The valid port numbers are between 0 and 65535.
dproc	destination Process Name	String	1023	The name of the process which is the event's destination. For example: "telnetd", or "sshd".
destinationServiceName		String	1023	The service which is targeted by this event.
duid	destination UserId	String	1023	Identifies the destination user by ID. For example, in UNIX, the root user is generally associated with user ID 0.

Full and/or Key Names		Data Type	Length	Meaning
dpriv	destination User Privileges	String	1023	<p>The allowed values are: "Administrator", "User", and "Guest". This identifies the destination user's privileges. In UNIX, for example, activity executed on the root user would be identified with destinationUserPrivileges of "Administrator".</p> <p>This is an idealized and simplified view on privileges and can be extended in the future.</p>
duser	destination UserName	String	1023	Identifies the destination user by name. This is the user associated with the event's destination. E-mail addresses are also mapped into the UserName fields. The recipient is a candidate to put into destinationUserName.
destinationTranslated Address		IPv4 Address		Identifies the translated destination that the event refers to in an IP network. The format is an IPv4 address. <b>Example:</b> "192.168.10.1"
destinationTranslatedPort		Integer		Port after it was translated; for example, a firewall. Valid port numbers are 0 to 65535.
deviceDirection		String		Any information about what direction the communication that was observed has taken.
deviceExternalId		String	255	A name that uniquely identifies the device generating this event.
deviceFacility		String	1023	The facility generating this event. Syslog for example has an explicit facility associated with every event.
deviceInboundInterface		String	15	Interface on which the packet or data entered the device.
deviceOutboundInterface		String	15	Interface on which the packet or data left the device.
deviceProcessName		String	1023	Process name associated to the event. In UNIX, the process generating the syslog entry for example.
end	endTime	Time Stamp		The time at which the activity related to the event ended. The format is MMM dd yyyy HH:mm:ss or milliseconds since epoch (Jan 1st 1970). An example would be reporting the end of a session.
externalId		Integer		An ID used by the originating device. Usually these are increasing numbers associated with events.

Full and/or Key Names		Data Type	Length	Meaning
fileCreateTime		Time Stamp		Time when file was created.
fileHash		String	255	Hash of a file.
fileId		String	1023	An ID associated with a file could be the inode.
fileModificationTime		Time Stamp		Time when file was last modified.
filePath		String	1023	Full path to the file, including file name itself.
filePermission		String	1023	Permissions of the file.
fileType		String	1023	Type of file (pipe, socket, etc.)
oldFileCreateTime		Time Stamp		Time when old file was created.
oldFileHash		String	255	Hash of the old file.
oldFileId		String	1023	An ID associated with the old file could be the inode.
oldFileModificationTime		Time Stamp		Time when old file was last modified.
oldFileName		String	1023	Name of the old file.
oldFilePath		String	1023	Full path to the old file, including file name itself.
oldFilePermission		String	1023	Permissions of the old file.
oldFileSize		Integer		Size of the old file.
oldFileType		String	1023	Type of the old file (pipe, socket, etc.)
rt	receiptTime	Time Stamp		The time at which the event related to the activity was received. The format is MMM dd yy yy HH:mm:ss or milliseconds since epoch (Jan 1st 1970).
request	requestURL	String	1023	In the case of an HTTP request, this field contains the URL accessed. The URL should contain the protocol as well, e.g., http://www.security.com"
requestClientApplication		String	1023	The User-Agent associated with the request.
requestCookies		String	1023	Cookies associated with the request.

Full and/or Key Names		Data Type	Length	Meaning
requestMethod		String	1023	The method used to access a URL. Possible values: "POST", "GET", ...
sourceDnsDomain		String	255	The DNS domain part of the complete fully qualified domain name (FQDN).
sourceServiceName		String	1023	The service which is responsible for generating this event.
sourceTranslatedAddress		IPv4 Address		Identifies the translated source that the event refers to in an IP network. The format is an IPv4 address. <b>Example:</b> "192.168.10.1"
sourceTranslatedPort		Integer		Port after it was translated by for example a firewall. Valid port numbers are 0 to 65535.
spriv	sourceUser Privileges	String	1023	The allowed values are: "Administrator", "User", and "Guest". It identifies the source user's privileges. In UNIX, for example, activity executed by the root user would be identified with sourceUserPrivileges of "Administrator".  This is an idealized and simplified view on privileges and can be extended in the future.
start	startTime	Time Stamp		The time when the activity the event referred to started. The format is MMM dd yyyy HH:mm:ss or milliseconds since epoch (Jan 1st 1970).

## Special Mappings

In some cases, the mappings between fields of the original device and those of the ArcSight dictionary are not straightforward. The following tables provide examples that should help in such cases.

### Firewall

Original Field	Mapped to Key Name	Mapped to Full Name
Rule Number / ACL Number	cs1	deviceCustomString1

The *severity* for a blocked connection is **Medium**.

The *severity* for a passed connection is **Low**.

### Antivirus

Original Field	Mapped to Key Name	Mapped to Full Name
Virus name	cs1	deviceCustomString1
Signature / Engine Version	cs2	deviceCustomString2
Action (Quarantine, Cleaned, Deleted, ...)	act	deviceAction

### Email

Original Field	Mapped to Key Name	Mapped to Full Name
Recipient (e.g. user@company.com)	duser	destinationUserName
Sender (e.g. user@company.com)	suser	sourceUserName
Relay	cs1	deviceCustomString1

### Wireless

Original Field	Mapped to Key Name	Mapped to Full Name
SSID	cs2	deviceCustomString2
Channel	cn1	deviceCustomNumber1

## Custom Dictionary Extensions

The Extension Dictionary provides a broad set of predefined extension keys that should cover most event log requirements. In some cases, vendors' devices may generate more information than can be appropriately mapped into the predefined extensions or may generate information that does not fit the orientation of the predefined extensions. In such a case, vendors may define their own custom extensions to the standard extension dictionary.

### Custom Extension Naming Guidelines

Custom extension keys should take the following form

VendornameProductnameExplanatoryKeyName

Custom extension keys must also meet the following requirements. Custom extension key(s):

- may not be named the same as any key listed in the common or extended dictionaries.
- must be made up of a single word, with no spaces.
- must be alphanumeric.
- names should be as clear and concise as possible.

### Limitations of Custom Extensions

Custom extension keys are recommended for use only when no reasonable mapping of the information can be established for a predefined CEF key. While the custom extension key mechanism can be used to safely send information to CEF consumers for persistence, there are certain limitations as to when and how to access the data mapped into them.

Custom extension keys also have certain significant limitations that anyone implementing them should be aware of. These limitations fundamentally affect the experience of users of ArcSight products.

#### Limitations Affecting ArcSight ESM

- Data submitted to ArcSight ESM using custom key extensions is retained, however it is largely inaccessible except when directly viewing events. This data shows up in a section called "Additional Data".

- Data submitted to ArcSight ESM using custom key extensions cannot be used directly for reporting, as these “Additional Data” fields are not made available in the reporting schema. Thus, any data in the “Additional Data” section of events is not available in reports.
- Data submitted to ArcSight ESM using custom key extensions cannot be used directly for event correlation (as within Rules, Data Monitors, etc.). Thus, any data in the “Additional Data” section is not available as output for correlation activities within the ESM system.

### Limitations Affecting ArcSight Logger

- Data submitted to ArcSight Logger using custom key extensions is retained in the system; however, it is not available for use in the Logger reporting infrastructure.
- Data submitted to ArcSight Logger using custom key extensions is available for viewing by the customer using string-based search. Event export is also available for this purpose.

## Appendix: Data Formats

### Date Formats

CEF supports several variations on time/date formats to identify the time an event occurred accurately. These formats are detailed below.

1. Milliseconds since January 1, 1970 (integer)—This time format supplies an integer with the count in milliseconds from January 1, 1970 to the time the event occurred.
2. MMM dd HH:mm:ss
3. MMM dd HH:mm:ss.SSS zzz
4. MMM dd HH:mm:ss.SSS
5. MMM dd HH:mm:ss zzz
6. MMM dd yyyy HH:mm:ss
7. MMM dd yyyy HH:mm:ss.SSS zzz
8. MMM dd yyyy HH:mm:ss.SSS
9. MMM dd yyyy HH:mm:ss zzz

For a key to the date formats shown above, visit the SimpleDateFormat page at: [java.sun.com/j2se/1.4.2/docs/api/java/text/SimpleDateFormat.html](http://java.sun.com/j2se/1.4.2/docs/api/java/text/SimpleDateFormat.html).