

McAfee Endpoint Security 10.5.5 - Threat Prevention Release Notes - Linux

Contents

- ▶ [About this release](#)
- ▶ [Resolved issues](#)
- ▶ [Installation instructions](#)
- ▶ [Known issues](#)
- ▶ [Getting product information by email](#)
- ▶ [Where to find product documentation](#)

About this release

This document contains important information about the current release. We recommend that you read the whole document.



We do not support the automatic upgrade of a pre-release software version. To upgrade to a production release of the software, you must first uninstall the pre-release version.

Resolved issues

The current release of the product resolves these issues. For a list of issues fixed in earlier releases, see the Release Notes for the specific release.

Reference	Issue description
1263967	Server no longer crashes when performing certain tasks involving <code>git</code> .
1262115	The EICAR test file is successfully removed from T5 X large AWS instance.
1264896	This update resolves the system crash issue when Endpoint Security for Linux tries to free up memory.

Reference	Issue description
1262360	Using <i>autofs</i> — The mount points are now released with Endpoint Security for Linux Threat Prevention enabled.
1259606	This update resolves a system crash due to the bug: Unable to handle kernel NULL pointer dereference.
1263503	<p>With this update, you can add repositories with specific user name and password.</p> <p>For example, to add a repository with the username <i>testuser</i> and the password <i>testpasswd</i>, navigate to the directory <i>/opt/isec/ens/threatprevention/bin</i>, then run the command:</p> <pre>./isecav --addrepository --name test01 --type ftp --url ftp.nai.com/ commonupdater --port 21 --username testuser --password testpasswd --priority 1</pre> <p>For more information about using this command with other parameters, see the Manpage help.</p>
ESFL-824	This update supports scanning <i>tmpfs</i> files for on-access scan.
ESFL-807	This update resolves the issue <i>isectpd</i> process getting killed on standalone systems when you stop the Threat Prevention process immediately after the DAT update.

Installation instructions

You can install the software on standalone systems or systems managed with McAfee ePO.

Before you begin

You must have installed the McAfee Agent 64-bit software on the system you intend to install or upgrade the software. McAfee Agent 5.0.6 is the minimum version that McAfee Endpoint Security for Linux Threat Prevention 10.5.5 supports. This release does not support McAfee Agent 32-bit software.

If you are using McAfee Endpoint Security 10.5.x product in your environment, you must upgrade all McAfee Endpoint Security extensions to 10.5.5 or later versions in McAfee ePO. If you are using McAfee Endpoint Security 10.6 product in your environment, you must upgrade all McAfee Endpoint Security extensions to 10.6.1 or later versions in McAfee ePO.

You can download the products from the McAfee products [download site](#) using your grant number.

For more information about installing the software, see *McAfee Endpoint Security for Linux Threat Prevention 10.5.1 Installation Guide*. You can access the product documents at docs.mcafee.com.

Known issues

For a list of known issues in this product release, see [KB87518](#).

Getting product information by email

The Support Notification Service (SNS) delivers valuable product news, alerts, and best practices to help you increase the functionality and protection capabilities of your McAfee products.

To receive SNS email notices, go to the SNS Subscription Center at https://sns.secure.mcafee.com/signup_login to register and select your product information options.

Where to find product documentation

Go to docs.mcafee.com to find the product documentation for this product.

Go to support.mcafee.com to find supporting content on released products, including technical articles.

Copyright © 2019 McAfee, LLC

McAfee and the McAfee logo are trademarks or registered trademarks of McAfee, LLC or its subsidiaries in the US and other countries. Other marks and brands may be claimed as the property of others.

0-00